3M General Offices

3M Center St. Paul, Minnesota 55144-1000 612/733-1110

Duns No.: 00-617-3082

Industrial Hygiene FEB 1 5 1990

MATERIAL SAFETY DATA SHEET

DIVISION: ENGINEERING SYSTEM DIVISION

TRADE NAME:

3M BRAND TYPE 852 DEVELOPER PREMIX

3M I.D. NUMBER: GB-2000-4173-8 78-6969-5173-6

ISSUED: DECEMBER 19, 1989 SUPERSEDES: DECEMBER 15, 1989 DOCUMENT: 10-3575-7

1. INGREDIENT	C.A.S. NO.	PERCENT	VALUE UNIT	LIMITS TYPE AUTH
IRON PARTICLES STYRENE RESIN CARBON BLACK SOLVENT BLACK 7 SOLVENT BLUE 5	7439-89-6	75.0 - 90.0	NONE NONE	NONE NONE
	9003-53-6	10.0 - 25.0	NONE NONE	NONE NONE
	1333-86-4	0.5 - 2.0	3.5 mg/m3	TWA ACGIH
	8005-02-5	< 0.1	NONE NONE	NONE NONE
	1325-86-6	< 0.1	NONE NONE	NONE NONE

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists

- NONE: None Established

2. PHYSICAL DATA

BOILING POINT:.... N/A VAPOR PRESSURE: VAPOR DENSITY: N/A N/A EVAPORATION RATE:.... N/A SOLUBILITY IN WATER:SP. GRAVITY: Insoluble N/D None N/D N/A VISCOSITY: N/A

APPEARANCE AND ODOR: Fine Black Granular Powder.

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:. N/A FLAMMABLE LIMITS - LEL: FLAMMABLE LIMITS - UEL: N/A N/A AUTOIGNITION TEMPERATURE: ... EXTINGUISHING MEDIA:

Water, CO2, Foam SPECIAL FIRE FIGHTING PROCEDURES:

None UNUSUAL FIRE AND EXPLOSION HAZARDS:

NFPA-HAZARD-CODES: HEALTH 1 FIRE 1 REACTIVITY 0 UNUSUAL REACTION HAZARD: None

4. REACTIVITY DATA

None

STABILITY: Stable INCOMPATIBILITY - MATERIALS TO AVOID:

None. HAZARDOUS POLYMERIZATION: Will Not Occur HAZARDOUS DECOMPOSITION PRODUCTS:

Styrene Monomer, CO, CO2

Abbreviations: N/D - Not Determined N/A - Not Applicable

3M General Offices

3M Center St. Paul, Minnesota 55144-1000 612/733-1110 Duns No.: 00-617-3082

MATERIAL SAFETY DATA SHEET



MSDS: 3M BRAND TYPE 852 DEVELOPER PREMIX DECEMBER 19, 1989

PAGE: 2 of 3

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Observe precautionary information from other sections. Vacuum or sweep up spilled material.

RECOMMENDED DISPOSAL:

Dispose of as dry scrap in accordance with state and local regulations.

ENVIRONMENTAL DATA:

Not determined.

SARA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: No

6. SUGGESTED FIRST AID

EYE CONTACT:

In case of eye contact, flush eyes with plenty of water and contact a physician.

SKIN CONTACT:

N/A

INHALATION:

If respiratory irritation or other symptoms occur, move to fresh air.

IF SWALLOWED:

N/A

OTHER FIRST AID:

NONE

7. PRECAUTIONARY INFORMATION

Avoid eye contact and prolonged or repeated breathing of dust. Keep out of reach of children. Store in a cool, dry place.

ADDITIONAL EXPOSURE LIMITS

INGREDIENTS VALUE UNIT TYPE AUTH
CARBON BLACK 3.5 mg/m3 TWA OSHA

SOURCE OF EXPOSURE LIMIT DATA:

OSHA: Occupational Safety and Health Administration

8. HEALTH HAZARD DATA

EYE CONTACT: Dust may cause slight eye irritation.

SKIN CONTACT: No adverse health effects are expected.

Abbreviations: N/D - Not Determined N/A - Not Applicable

3M General Offices

3M Center St. Paul, Minnesota 55144-1000 612/733-1110 Duns No.: 00-617-3082

MATERIAL SAFETY DATA SHEET

3M

MSDS: 3M BRAND TYPE 852 DEVELOPER PREMIX DECEMBER 19, 1989

PAGE: 3 of 3

8. HEALTH HAZARD DATA

(continued)

INHALATION: Dust may cause slight upper respiratory system irritation.

INGESTION: No adverse health effects are expected.

ADDITIONAL EXPOSURE LIMITS: Carbon Black 3.5 mg/m3 TWA (OSHA)

Abbreviations: N/D - Not Determined N/A - Not Applicable

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this material under normal conditions. Any use of the material which is not in conformance with this Data Sheet or which involves using the material in combination with any other material or any other process is the responsibility of the user.